



Certificate of Analysis

Accredited to ISO/IEC 17025:2017 by PJLA
Accreditation No. 86258

Client:

Euromundo,
1 GD Rue Saint Michel
31400 Toulouse, France

Sample Collected By: Client

Product Name	Aniracetam	Product Lot Number	230423
Report Date	01/16/24	Laboratory Number	23128706

Description	Method	Specification Limit	Result
Aniracetam	HPLC	>98%	99.7%
Lead	ICP-MS	<10 ppm	0.005 ppm
Arsenic	ICP-MS	<10 ppm	<0.001 ppm
Cadmium	ICP-MS	<10 ppm	<0.001 ppm
Mercury	ICP-MS	<10 ppm	<0.001 ppm
Total Aerobic Count	USP 38 <61>/<62>	<1000 cfu/g	50 cfu/g
Yeast & Mold	USP 38 <61>/<62>	<100 cfu/g	<10 cfu/g
E. Coli	USP 38 <61>/<62>	Absent	Absent
Salmonella	USP 38 <62>	Absent	Absent

Nicholas Zalud 

Laboratory QA

01/16/2024

Date

The result(s) stated in this report is only for the sample submitted. This report may not be reproduced in whole or in part, nor may any reference be made to the work, the result, or the company in any news release, public announcements or advertising without our prior written consent.