



Certificate of Analysis

Accredited to ISO/IEC 17025:2017 by PJLA

Accreditation No. 86258


Client:

Euromundo,
1 GD Rue Saint Michel
31400 Toulouse, France

Sample Collected By: Client

Product Name	Piracetam	Product Lot Number	231105
Report Date	01/16/24	Laboratory Number	23128712

Description	Method	Specification Limit	Result
Piracetam	HPLC	>98%	100.5%
Lead	ICP-MS	<10 ppm	0.004 ppm
Arsenic	ICP-MS	<10 ppm	<0.001 ppm
Cadmium	ICP-MS	<10 ppm	<0.001 ppm
Mercury	ICP-MS	<10 ppm	<0.001 ppm
Total Aerobic Count	USP 38 <61>/<62>	<1000 cfu/g	<100 cfu/g
Yeast & Mold	USP 38 <61>/<62>	<100 cfu/g	<10 cfu/g
E. Coli	USP 38 <61>/<62>	Absent	Absent
Salmonella	USP 38 <62>	Absent	Absent

Nicholas Zalud 
Laboratory QA

01/16/2024
Date

The result(s) stated in this report is only for the sample submitted. This report may not be reproduced in whole or in part, nor may any reference be made to the work, the result, or the company in any news release, public announcements or advertising without our prior written consent.